



Certificate of Analysis

For: Environmental Remediation and Management
 20-10 Maple Avenue
 Fairlawn, NJ 07410

Attn: Guillermo Morales

Water Quality Supervisor: *Stephen Maslach*

11-Aug-16

Client Sample ID: RM2 A	Lab Sample ID: 16080204-01	
Site:	Collection Date: 8/1/2016	7:15 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	8.80 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM2 F	Lab Sample ID: 16080204-02	
Site:	Collection Date: 8/1/2016	7:47 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.31 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM3 A	Lab Sample ID: 16080204-03	
Site:	Collection Date: 8/1/2016	7:23 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	17.79 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM3 F	Lab Sample ID: 16080204-04	
Site:	Collection Date: 8/1/2016	7:49 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	3.20 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM4 A	Lab Sample ID: 16080204-05	
Site:	Collection Date: 8/1/2016	7:25 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	34.20 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM4 F	Lab Sample ID: 16080204-06	
Site:	Collection Date: 8/1/2016	8:02 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	3.16 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM5 A

Lab Sample ID: 16080204-07

Site:

Collection Date: 8/1/2016 7:18 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	12.12 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM5 F

Lab Sample ID: 16080204-08

Site:

Collection Date: 8/1/2016 8:04 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.77 ppb	0.5	JenB	8/9/2016

Client Sample ID: RM6 A

Lab Sample ID: 16080204-09

Site:

Collection Date: 8/1/2016 7:21 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	30.53 ppb	0.5		8/10/2016

Client Sample ID: RM6 F

Lab Sample ID: 16080204-10

Site:

Collection Date: 8/1/2016 8:07 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.41 ppb	0.5		8/10/2016

Client Sample ID: RM7 A

Lab Sample ID: 16080204-11

Site:

Collection Date: 8/1/2016 7:27 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	16.68 ppb	0.5		8/10/2016

Client Sample ID: RM7 F

Lab Sample ID: 16080204-12

Site:

Collection Date: 8/1/2016 8:08 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.93 ppb	0.5		8/10/2016

Client Sample ID: RM8 A

Lab Sample ID: 16080204-13

Site:

Collection Date: 8/1/2016 7:29 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	40.93 ppb	0.5		8/10/2016

Client Sample ID: RM8 F

Lab Sample ID: 16080204-14

Site:

Collection Date: 8/1/2016 8:11 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.13 ppb	0.5		8/10/2016

Client Sample ID: RM9 A

Lab Sample ID: 16080204-16

Site:

Collection Date: 8/1/2016 7:31 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	10.22 ppb	0.5		8/10/2016

Client Sample ID: RM9 F

Lab Sample ID: 16080204-16

Site:

Collection Date: 8/1/2016 8:13 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.42 ppb	0.5		8/10/2016

Client Sample ID: RM10 A

Lab Sample ID: 16080204-17

Site:

Collection Date: 8/1/2016 8:13 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	30.84 ppb	0.5		8/10/2016

Client Sample ID: RM10 F

Lab Sample ID: 16080204-18

Site:

Collection Date: 8/1/2016 7:33 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.66 ppb	0.5		8/10/2016

Client Sample ID: RM11 A

Lab Sample ID: 16080204-19

Site:

Collection Date: 8/1/2016 8:17 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	9.78 ppb	0.5		8/10/2016

Client Sample ID: RM11 F

Lab Sample ID: 16080204-20

Site:

Collection Date: 8/1/2016 7:34 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.11 ppb	0.5		8/10/2016

Client Sample ID: Kitchen Sink A

Lab Sample ID: 16080204-21

Site:

Collection Date: 8/1/2016 8:19 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	8.60 ppb	0.5		8/10/2016

Client Sample ID: Kitchen Sink F

Lab Sample ID: 16080204-22

Site:

Collection Date: 8/1/2016 7:37 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.67 ppb	0.5		8/10/2016

Client Sample ID: Kitchen Fountain A
Site:

Lab Sample ID: 16080204-23
Collection Date: 8/1/2016 8:23 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.36 ppb	0.5		8/10/2016

Client Sample ID: Kitchen Fountain F
Site:

Lab Sample ID: 16080204-24
Collection Date: 8/1/2016 7:38 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.46 ppb	0.5		8/10/2016

Client Sample ID: RM13 A
Site:

Lab Sample ID: 16080204-25
Collection Date: 8/1/2016 8:24 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	82.90 ppb	0.5		8/10/2016

Client Sample ID: RM13 F
Site:

Lab Sample ID: 16080204-26
Collection Date: 8/1/2016 7:40 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	3.35 ppb	0.5		8/10/2016

Client Sample ID: RM14 A
Site:

Lab Sample ID: 16080204-27
Collection Date: 8/1/2016 8:30 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	259.30 ppb	0.5		8/10/2016

Client Sample ID: RM14 F
Site:

Lab Sample ID: 16080204-28
Collection Date: 8/1/2016 7:41 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	25.37 ppb	0.5		8/10/2016

Client Sample ID: RM15 A
Site:

Lab Sample ID: 16080204-29
Collection Date: 8/1/2016 8:31 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	69.81 ppb	0.5		8/10/2016

Client Sample ID: RM15 F
Site:

Lab Sample ID: 16080204-30
Collection Date: 8/1/2016 7:42 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	3.09 ppb	0.5		8/10/2016

Client Sample ID: RM1 A
Site:

Lab Sample ID: 16080204-31
Collection Date: 8/1/2016 7:43 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	49.40 ppb	0.5		8/10/2016

Client Sample ID: RM1 F
Site:

Lab Sample ID: 16080204-32
Collection Date: 8/1/2016 8:36 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	5.33 ppb	0.5		8/10/2016

Client Sample ID: RM12 A
Site:

Lab Sample ID: 16080204-33
Collection Date: 8/1/2016 7:56 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	54.87 ppb	0.5		8/10/2016

Client Sample ID: RM12 F
Site:

Lab Sample ID: 16080204-34
Collection Date: 8/1/2016 7:58 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	16.96 ppb	0.5		8/10/2016

Client Sample ID: Nurses Office A
Site:

Lab Sample ID: 16080204-35
Collection Date: 8/1/2016 8:42 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.59 ppb	0.5		8/10/2016

Client Sample ID: Nurses Office F
Site:

Lab Sample ID: 16080204-36
Collection Date: 8/1/2016 8:44 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.59 ppb	0.5		8/10/2016

Client Sample ID: MSH1R A
Site:

Lab Sample ID: 16080204-37
Collection Date: 8/1/2016 8:53 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH1R F
Site:

Lab Sample ID: 16080204-38
Collection Date: 8/1/2016 8:59 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH1L A
Site:

Lab Sample ID: 16080204-39
Collection Date: 8/1/2016 8:55 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH1L F
Site:

Lab Sample ID: 16080204-40
Collection Date: 8/1/2016 8:59 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH2R A
Site:

Lab Sample ID: 16080204-41
Collection Date: 8/1/2016 9:05 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH2R F
Site:

Lab Sample ID: 16080204-42
Collection Date: 8/1/2016 9:09 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH2L A
Site:

Lab Sample ID: 16080204-43
Collection Date: 8/1/2016 9:06 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH2L F
Site:

Lab Sample ID: 16080204-44
Collection Date: 8/1/2016 9:09 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH3R A
Site:

Lab Sample ID: 16080204-45
Collection Date: 8/1/2016 9:12 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH3R F
Site:

Lab Sample ID: 16080204-46
Collection Date: 8/1/2016 9:15 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH3L A
Site:

Lab Sample ID: 16080204-47
Collection Date: 8/1/2016 9:12 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH3L F
Site:

Lab Sample ID: 16080204-48
Collection Date: 8/1/2016 9:16 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: Library A
Site:

Lab Sample ID: 16080204-49
Collection Date: 8/2/2016 7:14 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	55.51 ppb	0.5		8/10/2016

Client Sample ID: Library F
Site:

Lab Sample ID: 16080204-50
Collection Date: 8/2/2016 7:16 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.82 ppb	0.5		8/10/2016

Client Sample ID: RM101 A
Site:

Lab Sample ID: 16080204-51
Collection Date: 8/2/2016 7:20 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.15 ppb	0.5		8/10/2016

Client Sample ID: RM101 F
Site:

Lab Sample ID: 16080204-52
Collection Date: 8/2/2016 7:22 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH4R A
Site:

Lab Sample ID: 16080204-53
Collection Date: 8/2/2016 7:26 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH4R F
Site:

Lab Sample ID: 16080204-54
Collection Date: 8/2/2016 7:28 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH4L A
Site:

Lab Sample ID: 16080204-55
Collection Date: 8/2/2016 7:26 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: MSH4L F
Site:

Lab Sample ID: 16080204-56
Collection Date: 8/2/2016 7:29 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	< 0.50 ppb	0.5		8/10/2016

Client Sample ID: Teachers Lounge A
Site:

Lab Sample ID: 16080204-57
Collection Date: 8/2/2016 7:33 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.94 ppb	0.5		8/10/2016

Client Sample ID: Teachers Lounge F
Site:

Lab Sample ID: 16080204-58
Collection Date: 8/2/2016 7:35 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.60 ppb	0.5		8/10/2016

Client Sample ID: GymR A
Site:

Lab Sample ID: 16080204-59
Collection Date: 8/2/2016 7:39 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.64 ppb	0.5		8/10/2016

Client Sample ID: GymR F
Site:

Lab Sample ID: 16080204-60
Collection Date: 8/2/2016 7:43 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.54 ppb	0.5		8/10/2016

Client Sample ID: GymL A
Site:

Lab Sample ID: 16080204-61
Collection Date: 8/2/2016 7:40 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	2.71 ppb	0.5		8/10/2016

Client Sample ID: GymL F
Site:

Lab Sample ID: 16080204-62
Collection Date: 8/2/2016 7:43 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.54 ppb	0.5		8/10/2016

NA = not analyzed



Certificate of Analysis

For: Environmental Remediation and Management
20-10 Maple Avenue
Fairlawn, NJ 07410
Attn: Guillermo Morales

Water Quality Supervisor: *Stephen Maglich* 12-Sep-16

Client Sample ID: SKB-3 Lab Sample ID: 16090704-01
Site: Collection Date: 9/7/2016 7:30 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.59 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-4 Lab Sample ID: 16090704-02
Site: Collection Date: 9/7/2016 7:32 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	3.27 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-6 Lab Sample ID: 16090704-03
Site: Collection Date: 9/7/2016 7:35 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	0.52 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-7 Lab Sample ID: 16090704-04
Site: Collection Date: 9/7/2016 7:38 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	3.34 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-8 Lab Sample ID: 16090704-05
Site: Collection Date: 9/7/2016 7:40 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	1.47 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-10 Lab Sample ID: 16090704-06
Site: Collection Date: 9/7/2016 7:45 AM

Analyte	Method	Sample Result	Report Limit	Analyst	Anal. Date
Lead	EPA 200.8	3.99 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-13
Site:

Lab Sample ID: 16090704-07
Collection Date: 9/7/2016 7:47 AM

<u>Analyte</u>	<u>Method</u>	<u>Sample Result</u>	<u>Report Limit</u>	<u>Analyst</u>	<u>Anal. Date</u>
Lead	EPA 200.8	4.04 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-14
Site:

Lab Sample ID: 16090704-08
Collection Date: 9/7/2016 7:48 AM

<u>Analyte</u>	<u>Method</u>	<u>Sample Result</u>	<u>Report Limit</u>	<u>Analyst</u>	<u>Anal. Date</u>
Lead	EPA 200.8	1458.00 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-15
Site:

Lab Sample ID: 16090704-09
Collection Date: 9/7/2016 7:50 AM

<u>Analyte</u>	<u>Method</u>	<u>Sample Result</u>	<u>Report Limit</u>	<u>Analyst</u>	<u>Anal. Date</u>
Lead	EPA 200.8	1.73 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-1
Site:

Lab Sample ID: 16090704-10
Collection Date: 9/7/2016 7:51 AM

<u>Analyte</u>	<u>Method</u>	<u>Sample Result</u>	<u>Report Limit</u>	<u>Analyst</u>	<u>Anal. Date</u>
Lead	EPA 200.8	0.91 ppb	0.5	JenB	9/9/2016

Client Sample ID: SKB-12
Site:

Lab Sample ID: 16090704-11
Collection Date: 9/7/2016 7:53 AM

<u>Analyte</u>	<u>Method</u>	<u>Sample Result</u>	<u>Report Limit</u>	<u>Analyst</u>	<u>Anal. Date</u>
Lead	EPA 200.8	18.89 ppb	0.5	JenB	9/9/2016

NA = not analyzed



RRS Home | Logout | Detailed Report | Environmental Remediation & Management Tuesday, October 11, 2016

Analysis Information

Environmental Remediation & Management

APL Order ID : 6090658

Site Name : Northvale BOE

Date to Lab : 09/23/2016 12:35

Samples List

Field ID	Lab ID	Matrix
001 SKB-14	6090658-01	Drinking Water
002 SKB-14	6090658-02	Drinking Water
003 SKB-12	6090658-03	Drinking Water
004 SKB-12	6090658-04	Drinking Water

Printing Options

Turn on **Page Breaks** on prints each sample on a new page.
 Turn off **Page Breaks** off prints the report on the minimum number of pages.

001 SKB-14 6090658-01 09/22/2016, 07:22 Drinking Water

[Click here to request additional or contingent analyses for this Sample ID](#)

Test	Method	Date Posted	MDL	RL	Result	Units	Limit
ICP-MS Lead	EPA 200.8	10/07/2016 17:36		0.00200	0.0130	mg/L	

13.0 PPB

002 SKB-14 6090658-02 09/22/2016, 07:23 Drinking Water

[Click here to request additional or contingent analyses for this Sample ID](#)

Test	Method	Date Posted	MDL	RL	Result	Units	Limit
ICP-MS Lead	EPA 200.8	10/07/2016 17:36		0.00200	0.00200	mg/L	

2.0 PPB

003 SKB-12 6090658-03 09/22/2016, 07:27 Drinking Water

[Click here to request additional or contingent analyses for this Sample ID](#)

Test	Method	Date Posted	MDL	RL	Result	Units	Limit
ICP-MS Lead	EPA 200.8	10/07/2016 17:36		0.00200	ND	mg/L	

ND

004 SKB-12 6090658-04 09/22/2016, 07:29 Drinking Water

[Click here to request additional or contingent analyses for this Sample ID](#)

Test	Method	Date Posted	MDL	RL	Result	Units	Limit
ICP-MS Lead	EPA 200.8	10/07/2016 17:36		0.00200	0.00613	mg/L	

6.13 PPB

Report Key:

| Description

Result Units Limit

> mg/l y *

An asterisk and red highlight indicate that the concentration of the analyte exceeded its limit or optimum range. Click the Limit column header for that sample's limits, or visit the Documents page for a complete listing of limits for all matrices. For Soil and Wastewater the lowest limit is used. For Concrete the Soil Residential Direct Contact Soil Cleanup Criterion (RDCSCC) is used. For Groundwater the higher of the PQL and the Groundwater Quality Criterion is used.

Wastewater results are now being compared to site permit limits provided to APL by our clients. If site permit limits are not available, Wastewater results are compared to Groundwater limits. Please contact your client service representative to participate in this program.

Qualifiers

- U Indicates the compound was analyzed for but not detected.
- I Indicates an estimated value. All tentatively identified compounds (TICs) and results below the MDL receive this qualifier
- N Indicates presumptive evidence of a compound. All TICs receive this qualifier
- B Used if the analyte is found in the method blank as well as the sample.
- E Used for identification of compounds with concentrations exceeding the GC/MS calibration range.
- D Indicates results from a diluted sample.
- A Indicates an analyte, a target compound included in the calibration.
- T Indicates a tentatively identified compound (TIC). A TIC is a non-targeted compound, not included in the calibration, identified by a mass spectral library search.

Results

- Dilution Needed Indicates that the compound had an E qualifier and needs a Diluted re-analysis. When completed and made available, this result will be replaced by the Diluted Result
- ND Indicates the compound was analyzed for but not detected

Other

- MDL Method Detection Limit
- RL Reporting Limit

Terms & Conditions

APL July, 2011

The data on this website is preliminary. It is made available at the earliest possible time in order to better serve our clients. Final deliverable results will be available for download once they are complete.

Questions, Comments, Feedback?
 Customer Feedback Survey.

APL Result Retrieval System ©2007-2016 Aqua Pro-Tech Laboratories